

#### MAP LEGEND

â

0

Δ

**Water Features** 

Transportation

---

 $\sim$ 

Background

Spoil Area

Stony Spot

Wet Spot

Other

Rails

**US Routes** 

Major Roads

Local Roads

Very Stony Spot

Special Line Features

Streams and Canals

Interstate Highways

Aerial Photography

#### Area of Interest (AOI)

Area of Interest (AOI)

#### Soils

Soil Map Unit Polygons



Soil Map Unit Points

#### Special Point Features

Blowout

Borrow Pit

Clay Spot

Closed Depression

Gravel Pit

... Gravelly Spot

Landfill

Lava Flow

Marsh or swamp

Mine or Quarry

Miscellaneous Water

Perennial Water

Rock Outcrop

→ Saline Spot

Sandy Spot

Severely Eroded Spot

Sinkhole

Slide or Slip

Sodic Spot

# MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:24.000.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Sussex County, Delaware Survey Area Data: Version 19, Sep 14, 2018

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Sep 5, 2016—Sep 24, 2017

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

# **Map Unit Legend**

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
AsA	Askecksy loamy sand, 0 to 2 percent slopes	53.9	5.3%
EvD	Evesboro loamy sand, 5 to 15 percent slopes	51.4	5.1%
FadA	Fallsington sandy loams, 0 to 2 percent slopes, Northern Tidewater Area	7.9	0.8%
FmB	Fort Mott loamy sand, 2 to 5 percent slopes	13.3	1.3%
FzB	Fallsington-Urban land complex, 0 to 5 percent slopes	5.6	0.6%
HsA	Henlopen-Rosedale-Urban land complex, 0 to 2 percent slopes	424.7	42.1%
IeA	Ingleside loamy sand, 0 to 2 percent slopes	24.6	2.4%
KsA	Klej loamy sand, 0 to 2 percent slopes	74.8	7.4%
LO	Longmarsh and Indiantown soils, frequently flooded	34.0	3.4%
NM	Nanticoke and Mannington soils, very frequently flooded, tidal	61.7	6.1%
RkA	Rockawalkin loamy sand, 0 to 2 percent slopes	19.8	2.0%
RoA	Rosedale loamy sand, 0 to 2 percent slopes	4.7	0.5%
RuA	Runclint loamy sand, 0 to 2 percent slopes	45.7	4.5%
RuB	Runclint loamy sand, 2 to 5 percent slopes	66.1	6.5%
Up	Urban land	11.8	1.2%
W	Water	109.1	10.8%
WddA	Woodstown sandy loam, 0 to 2 percent slopes, Northern Tidewater Area	0.5	0.1%
Totals for Area of Interest		1,009.6	100.0%

## **Sussex County, Delaware**

# HsA—Henlopen-Rosedale-Urban land complex, 0 to 2 percent slopes

#### **Map Unit Setting**

National map unit symbol: 1qth7

Elevation: 0 to 130 feet

Mean annual precipitation: 42 to 48 inches Mean annual air temperature: 52 to 58 degrees F

Frost-free period: 180 to 220 days

Farmland classification: Not prime farmland

#### **Map Unit Composition**

Henlopen and similar soils: 40 percent Rosedale and similar soils: 30 percent

Urban land: 20 percent Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of

the mapunit.

#### **Description of Henlopen**

#### Setting

Landform: Dunes, marine terraces Down-slope shape: Convex, linear

Across-slope shape: Linear

Parent material: Sandy eolian deposits and loamy fluviomarine

sediments

#### Typical profile

Ap - 0 to 10 inches: loamy sand E - 10 to 46 inches: loamy sand Bt - 46 to 62 inches: sandy loam C - 62 to 80 inches: sand

#### Properties and qualities

Slope: 0 to 2 percent

Depth to restrictive feature: More than 80 inches Natural drainage class: Somewhat excessively drained

Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat):

Moderately high to high (0.57 to 5.95 in/hr) Depth to water table: More than 80 inches


Frequency of flooding: None Frequency of ponding: None

Available water storage in profile: Low (about 5.9 inches)

#### Interpretive groups

Land capability classification (irrigated): 2s Land capability classification (nonirrigated): 3s

Hydrologic Soil Group: A



Hydric soil rating: No

#### **Description of Rosedale**

#### Setting

Landform: Flats

Down-slope shape: Linear Across-slope shape: Linear

Parent material: Sandy eolian deposits over fluviomarine

sediments

### **Typical profile**

A - 0 to 9 inches: loamy sand
E - 9 to 25 inches: loamy sand
Bt - 25 to 38 inches: sandy loam
C - 38 to 68 inches: loamy sand
2Cg - 68 to 80 inches: sandy clay loam

#### **Properties and qualities**

Slope: 0 to 2 percent

Depth to restrictive feature: More than 80 inches

Natural drainage class: Well drained

Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat):

Moderately high to high (0.20 to 5.95 in/hr) Depth to water table: About 40 to 72 inches

Frequency of flooding: None Frequency of ponding: None

Available water storage in profile: Low (about 5.3 inches)

#### Interpretive groups

Land capability classification (irrigated): 2s Land capability classification (nonirrigated): 2s

Hydrologic Soil Group: A Hydric soil rating: No

#### **Description of Urban Land**

#### Setting

Landform: Flats

Down-slope shape: Linear Across-slope shape: Linear

#### Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 8

Hydric soil rating: Unranked

#### **Minor Components**

#### Fort mott

Percent of map unit: 5 percent



#### Runclint

Percent of map unit: 5 percent

# **Data Source Information**

Soil Survey Area: Sussex County, Delaware Survey Area Data: Version 19, Sep 14, 2018